


This section covers the steps that need to be undertaken before pairing your Tag Reader with an Android phone. For this example, we are using the Allflex RS420 Reader. Please refer to your tag reader manufacturer manual for turning on/or pairing. For instructions on pairing your mobile device with the tag reader using Bluetooth, please see the next set of instructions.


Turn **on** your Tag Reader and go to the **Menu** options




From the **Main Menu** screen, select **Bluetooth Settings**.




Turn the Bluetooth **On**



From the **Bluetooth Settings** menu, you have the option to **Select Device** and choose to make the **Allflex Reader** the **Slave** device.




From **Bluetooth settings** menu, tap on **About** to go to **About Bluetooth** menu and note down the PIN #. You need it later to pair with your mobile.




This section covers pairing your mobile device with the Tag Reader.


Go to **Settings** in your mobile device and tap **Connections**




Ensure **Bluetooth** is turned **ON**




From the list of available devices, tap the device you wish to pair. The device you are trying to pair must be turned **ON**. (Please see previous set of instructions for tips on preparing your Tag Reader for Bluetooth)




Enter the **PIN #** given by your Tag Reader. (Please see previous instructions to gather this)



Enter the requested **PIN #** and tap **OK**



You will see the device and notice it says **Pairing** underneath



The device should now be listed under **Paired devices**
And now ready to work in tandem with your Tag Reader

